

Message

From: Fogarty, Johnpc [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8546B387C687410D88EEEE387DADDF56-JFOGAR02]
Sent: 11/3/2016 5:48:50 PM
To: Welles, Laura [Welles.Laura@epa.gov]
Subject: RE: compare word doc - Whole Foods

OOOoooo – sounds intriguing.

From: Welles, Laura
Sent: Thursday, November 03, 2016 1:45 PM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: compare word doc - Whole Foods

Just as a heads up (and I know this sounds cryptic), but I may know why Whole Foods took out the second count. I'm going to track it down and let you know what I find out, etc.

From: Fogarty, Johnpc
Sent: Thursday, November 03, 2016 11:43 AM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: compare word doc - Whole Foods

Got it.

From: Welles, Laura
Sent: Thursday, November 03, 2016 11:42 AM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: compare word doc - Whole Foods

Spent mercury-containing lamps are UW.

From: Fogarty, Johnpc
Sent: Thursday, November 03, 2016 11:37 AM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: compare word doc - Whole Foods

So mercury-containing light bulbs are UW or not?

From: Welles, Laura
Sent: Thursday, November 03, 2016 11:29 AM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: compare word doc - Whole Foods

Sorry for any confusion...

Under the federal universal waste rule, there are 4 types of universal waste:

1. Batteries as described in 273.2;
2. Pesticides as described in 273.3;

3. Mercury-containing equipment as described in 273.4 – (examples of mercury-containing equipment include thermostats, barometers, manometers, and mercury switches); and
4. Lamps (e.g., fluorescent lamps) described in 273.5

Under the federal UW rule, PCB-containing ballast is not UW.

Ex. 5 AC/AWP/DP

Does that make better sense?

From: Fogarty, Johnpc
Sent: Thursday, November 03, 2016 11:09 AM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: compare word doc - Whole Foods

Ex. 5 AC/AWP/DP

From: Welles, Laura
Sent: Thursday, November 03, 2016 11:01 AM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: compare word doc - Whole Foods

I spoke to both Tony and Ann re: your questions.

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc
Sent: Wednesday, November 02, 2016 5:20 PM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: compare word doc - Whole Foods

I will review tomorrow.

Btw, it appears that the PCBs are in the fluorescent light ballasts, which are part of the fixture and not part of the light tubes themselves.

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Thx!

From: Welles, Laura
Sent: Wednesday, November 02, 2016 5:01 PM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: compare word doc - Whole Foods

I couldn't find any track changes on the WF revised draft and so I compared the two – see attached.

Laura Welles
Attorney Advisor
Waste and Chemical Enforcement Division
Office of Civil Enforcement
U.S. Environmental Protection Agency
(202) 564-2754